

Independent Research Testing Center  
875 Innovation Drive, Cambridge, MA 02139, USA


## CERTIFICATE OF ANALYSIS (COA)

|                        |                                                   |
|------------------------|---------------------------------------------------|
| Product Name           | GLP-3 RT 10 mg (Injectable Research Vial)         |
| Chemical Name          | Retatrutide (GIP/GLP-1/glucagon triple agonist)   |
| CAS Number             | 2381089-83-2                                      |
| Batch / Lot Number     | RETA100513                                        |
| Manufacturing Date     | 2026-08-13                                        |
| Retest / Expiry Date   | 2028-08-13                                        |
| Net Content            | 10 mg per vial                                    |
| Storage Conditions     | Store at 2–8°C, protected from light and moisture |
| Appearance             | White to off-white lyophilized powder             |
| Molecular Formula / MW | C221H342N46O68 / 4731.33 g/mol                    |

### Analytical Results

| Test Item       | Specification                         | Result    | Method       |
|-----------------|---------------------------------------|-----------|--------------|
| Identification  | Conforms                              | Conforms  | LC-MS        |
| Purity (HPLC)   | ≥98.0%                                | 98.95%    | HPLC         |
| Peptide Content | 95.0–105.0%                           | 99.4%     | HPLC         |
| Appearance      | White to off-white lyophilized powder | Conforms  | Visual       |
| Water Content   | ≤3.0%                                 | 1.2%      | Karl Fischer |
| Heavy Metals    | ≤10 ppm                               | <10 ppm   | ICP-MS       |
| Endotoxin       | <10 EU/mg                             | <10 EU/mg | LAL Test     |

# HPLC Chromatogram



*For laboratory research use only. Not for human consumption.*

|             |                       |
|-------------|-----------------------|
| Tester Name | Dr. Michael Carter    |
| Signature   | <i>Michael Carter</i> |
| Test Date   | 2026-08-24            |